



NIKKEI BOXX Bluetooth-Speaker

Bluetooth Connection:

Turn the speaker on by pressing the power for several seconds, then the blue led flashes quickly. The speaker now has entered the Bluetooth pairing mode.

Dimensions And Basic Parameters:

BOXX1:

LENGTH: 96 ± 0.2MM WIDTH: 88± 0.2MM HEIGHT: 50 ± 0.2MM BOXX3: LENGTH: 174.5 ± 0.2MM WIDTH: 50± 0.2MM HEIGHT: 71± 0.2MM

Connect to mobile phones/tablet PCs/ computers:

1. Activate your devices' Bluetooth.

2.Go to your devices' Bluetooth settings , scan for new Bluetooth devices.



- 3.Upon device found(BOXX), click the device name and pair with it.
- 4.If your phone ask for pairing code , please enter "0000" and confirm it.

5.After successful pairing, your speaker will sound a prompt tone and the LED lights blue. Note: Pairing time is varied with different mobile phones.

Phone call pick up and reject:

Speaker will have the voice instruction for incoming cal, short press **>IU** to answer the call and talk to the speaker directly, long press **>IU** to reject the incoming call. After finish the call,short press **>IU** to end the call and back to play status. On Bluetooth status, long press **>IU** to dial back the last dialed phone, but it will be invalid if there is no phone conversation.

Button instruction:

1. "+","-": Long press to select song, short press to adjust volume. Press "+","-" together

NIKKEI

to disconnect Bluetooth on Bluetooth mode.

AUX audio-in connector:

The speaker also features 1x AUX audio in port, simply connect the speaker with your non-Bluetooth mobile phone/MP3 player/PC/laptop with the 3.5mm jack audio cable. The green will be on, then you can play music via wired connection.

Low power indication: Speaker will have voice hint to remind you to charge if battery is low(battery only left 10%). Users need to charge the speaker timely.

Charging and computer connection :

Connect the micro USB charging cable to a computer or USB charger, red Led indication for charging status.

Red LED goes off upon charging finished.

Accessories:

1. Micro USB Cable (for charging)

NIKKEI

2.3.5mm Audio cable (AUX-in cable)

3. User Manual

Electrical Specifications: BOXX1 / BOXX3 O Material: ABS O Weight: 240 g / 300g O utput power :3W / 2x3W Transmission distance:10 M Battery: Built-in lithium battery, 3.7V/ 1500mAh / 2000mAh O Charging voltage: 5V ± 0.25V O Charging time: 5-6 hours O Working time :6-9 hours

Note :

 Under Bluetooth mode when the 3.5mm audio plug is inserted in, the speaker will switch to line in status automatically;

2. Please switch off the speaker if don't use to prevent power loss.

NIKKEI

LED status:

- 1.Bluetooth status: blue light flashing for pairing. Blue light keep on for connection status.
- 2. Line in mode: green light on
- 3. Charging status: red light on
- 4. Charging completed: red light off

WORKING TEMPERATURE

Temperature: 0º C ~ 40º C Humidity: 0% ~ 85% RH

STORAGE CONDITION

Temperature: -30^o C ~ 60^o C Humidity: 0% ~ 90% RH